

This Former Spirent Business is Now Part of VIAVI

Contact Us +1844 GO VIAVI | (+1844 468 4284)
To learn more about VIAVI, visit viavisolutions.com/en-us/spirent-acquisition



Spirent **TestCenter**™

Link Aggregation Control Protocol (IEEE 802.3AD) Base Package

Convergence is creating a new generation of integrated network devices and services that are much more complex than ever before. The resulting increased complexity, scarcity of testing skills and architectural shortcomings in current test systems are hurting the ability of manufacturers to ship products on time at escalating quality levels and slowing service providers' ability to deploy networks that get Quality of Exp`erience (QoE) right the first time.


Increase Productivity: Get There Faster With Spirent TestCenter

- Quickly assess performance: Measure in real-time the packet rate, loss, re-sequence, delay, delay variation and packet errors for thousands of flows simultaneously
- Easy test setup: Parameter tables allow quick definition of multiple Link Aggregation Groups (LAGs), port assignments to LAGs and manipulation of LACP parameters for LAGs. Traffic wizard enables quick variation of flow parameters like MAC addresses, VLAN tags, IP addresses and assignment of flows to ports and LAGs.
- Build real world test scenarios: To simulate failures, use Spirent TestCenter's sequencer to stop and start link traffic and LACP messages

Spirent solution enables you to create and execute more complex test cases in less time with the same resources—and scale tests higher while debugging problems faster. The results: lower CAPEX and OPEX, faster time to market, greater market share and higher profitability.

The Spirent TestCenter Link Aggregation Control Protocol (LACP) Base Package provides LACP protocol emulation for functional and interoperability testing of router and switch implementations. When combined with Spirent TestCenter's sophisticated data packet generation and analysis, this base package allows complete testing of Ethernet link aggregation capable devices.

Non-LAG to LAG Test



Spirent TestCenter Ethernet ports used for LAG links on both "sides" of the DUT Device Under Test LACP messaging over LAGs (10/100, 1GbE, 10GbE links) TRAFFIC BUY-9888

Spirent **TestCenter**™

Link Aggregation Control Protocol (IEEE 802.3AD) Base Package



Applications

- Verify functional capability of LACP implementations using 10/100 Mbs, 1GbE or 10GbE links
- Supported test scenarios include LAG to LAG and non-LAG to LAG configurations
- Validate LAG performance characteristics such as reliability, packet forwarding capability and load balancing efficiency under various test conditions

Key Features

- Real time LACP state information and protocol counters for interactive testing and troubleshooting
- Leverage the Inspire Architecture's Packet
 Generator/Analyzer Base Package to measure, in
 real time, parameters such as packet rate, loss, resequencing, delay, delay variation, FCS errors and
 PRBS errors
- Generate and analyze thousands of streams with variations in MAC addresses, VLAN IDs (including stacked VLANs), IP addresses, TCP or UPD port values, and MPLS labels
- Bi-directional real time protocol decoding for instant viewing of LACP messages and message contents
- Use the Inspire Architecture Command Sequencer to build complex and repeatable test steps within the GUI

Ordering Information

Product	Part Number
IEEE 802.3ad Link Aggregation Base Package A	BPK-1015A
Packet Generator and Analyzer Base Package A	BPK-1001A
Enhanced Capture/Decode Base Package A	BPK-1029A

Technical Specifications

Supported Ports

 Supported on 10/100/1000 Mbps copper, 10/100/1000 Mbps fiber, and 10GbE

LACP Configurable Parameters

- LAG parameters
 - System priority
 - System ID
 - Group name
- Actor port parameters
 - Port number
 - Port MAC address
 - Port priority
 - Key
 - Timeout mode-short or long
 - Active mode-active or passive
 - LAG association

LACP State Information

- Actor state and Partner state
- Actor and Partner Key
- Actor and Partner System ID
- Actor and Partner Port ID
- Partner System Priority
- Partner Port Priority
- Partner Collector Max Delay
- LACP state

LACP Counters

- LACPDUs sent and received
- Marker PDUs sent and received
- Marker response PDUs sent and received

Supported Modules

 BPK-1015A is supported on all Spirent TestCenter Ethernet modules.

Contact Us

For more information, call your Spirent sales representative or visit us on the web at www.spirent.com/ContactSpirent.

www.spirent.com

© 2020 Spirent Communications, Inc. All of the company names and/or brand names and/or product names and/or logos referred to in this document, in particular the name "Spirent" and its logo device, are either registered trademarks or trademarks pending registration in accordance with relevant national laws. All rights reserved. Specifications subject to change without notice.

Americas 1-800-SPIRENT +1-800-774-7368 | sales@spirent.com

Europe and the Middle East +44 (0) 1293 767979 | emeainfo@spirent.com

Asia and the Pacific

+86-10-8518-2539 | salesasia@spirent.com