

# This Former Spirent Business is Now Part of VIAVI


Contact Us +1844 GO VIAVI | (+1844 468 4284)
To learn more about VIAVI, visit viavisolutions.com/en-us/spirent-acquisition

# Spirent TestCenter™

#### Virtual

Spirent TestCenter™ Virtual is the industry-leading L2 to L7 converged virtual test solution that optimizes and assures the performance of network services deployed in public, private, or hybrid clouds. TestCenter Virtual creates advanced testing topologies emulating both scalable control plane and data plane to stress, both physical and virtualized network functions. Hence, Service Providers can ensure that network services adhere to SLAs, Enterprises can verify that migrating their services to the cloud provides optimal performance for their users, and Data Center Operators can achieve the scalability and resiliency necessary for delivering next generation applications and services.

Spirent TestCenter Virtual provides effective usability, portability, scalability, cost effectiveness with a support for legacy and latest protocols. Whether you are adopting Virtualization or Containers, Spirent solutions make it easier for Service Providers, Data Center Operators and Cloud Providers to lead their NFV and Cloud deployments.



### **Physical to Virtual Migration**

As physical network functions are being transformed to be delivered in software form factor, the expectation in terms of the functionality, performance and predictability remains significantly high. All the investment that was made over the years in testing carrier grade network functions like routers, switches, firewalls, etc. is expected to be ported over in the virtual world.

Spirent TestCenter Virtual delivers a unified testing architecture that ensures full compatibility with any Spirent TestCenter interface for accurate, high performance FPGA hardware generated network traffic. It enables porting of prior investment in test cases for physical to virtual. It also enables the creation of a virtual test lab to speed up development, reduce the total cost of ownership (TCO) of testing resources and optimize infrastructure utilization by testing in a multitude of real-world scenarios of software prior to hardware availability.



#### **Features**

- Layer 2–7 test and measurement capabilities for legacy and emerging protocols
- Comprehensive emulation protocols available for switching, routing, access, SDN, DataCenter and applications
- Flexible deployment scenarios, with the ability to deploy solution entirely in public, private, or hybrid clouds, including cloud-deployable licenses
- Support for testing performance, throughput, availability and scale of OpenStack, VMware vSphere/ vCloud, Microsoft Azure, Amazon Web Services and other cloud platforms to deploy best in class cloud platforms
- Rich API support in various languages like Python, Perl, Tcl.
   Support for High Level APIs like REST which are easy to integrate in existing automation frameworks such as ROBOT
- Unified testing architecture that ensures full compatibility, 100% portability of test cases from hardware to virtual platforms

#### **Benefits**


- Maximize test coverage with 100% flexible and portable test cases from hardware to virtual
- Accelerate innovation by seamlessly migrate to virtualized datacenter or cloud deployments with lowest possible risk
- Validate NFV and Cloud migrations by characterizing the performance of virtual applications in a multitude of real-world scenarios



# Best Throughput and Timing Solution in the Market

Spirent TestCenter Virtual is the most advanced Virtual testing solution that now supports datacenter speeds ranging from 1G, 2.5G, 5G, 10G, 25G, 40G, and 100G. Maximum throughput is achieved on regular IVM/4cores + 4 GB memory footprint with full STC Virtual functionality\*.


- Allows benchmarking for RFC use cases which supports high 64byte performance per core (see Fig 2.)
- Enhanced NTP with new optimized timing library with precision as low as 100 micro seconds
- Support for "Burst mode" speeding up NTP synch from average 30 minutes to 1 minute
- $\bullet~$  HTTP / TCP throughput generator with 5Gbps goodput and ~50k connections per sec



# Supports best-in-class leading Virtualization and Cloud Platforms

There is ever-increasing use of containers in DevOps for simplifying the continuous delivery process by enabling easier portability of code across development, test and production environments. Spirent TestCenter Virtual is now offered in Container format to expedite the developer productivity. It is industry's first containerized network test solution available in Docker and LXC formats with up to 1G throughput per Container.

Spirent TestCenter Virtual enables you with support on wide range of Hypervisors like KVM, ESXi, Hyper-V, Oracle VM, and emerging Cloud platforms such as OpenStack, Amazon Web Services, Microsoft Azure, Google Cloud Platform, etc.




Spirent TestCenter Virtual



# **Continuous Cloud Deployments**

DevOps and continuous integration enables faster time to market and improves SLAs for organizations that adopt Continuous Integration and Delivery mechanism. In an increasingly competitive global market, companies must deliver high quality products and services to market in a cost effective and timely manner. Organizations require automated and scalable solutions to improve their ability to build, test, and deploy software.

Spirent TestCenter Virtual seamlessly integrates with all known cloud management systems like VMware, OpenStack etc. It also has rich API support such that the Virtual Machine is programmable and can be configured and managed in a 3rd party orchestration framework. API supports all capabilities available in the Spirent TestCenter GUI via the API.




#### **NFV Validation**

Network Functions Virtualization (NFV) is an industry term used to denote the capability of delivering network functions through virtualized compute infrastructure. While NFV offers many benefits to network and data center operators, there is an abundance of uncertainty in selecting technologies, configuring infrastructure, optimizing performance and hardening for security.

One not only has to test the Virtual Network functions but also the virtual infrastructure on which the Virtual Machines are hosted. The functionality and performance of the Virtual Network Function are deeply dependent on the predictability of the NFV infrastructure.

Spirent TestCenter Virtual delivers high rate layer 2-7 functional and performance testing of virtual and physical network resources by generating simultaneous LAN unicast, multicast, and VLAN traffic along with SAN IO as well as, stateful application protocols such as HTTP and FTP.



# **Qualified and Compatible Environments**

Category	Qualified	
VM Specifications	<ul> <li>CPU-2 to 4 virtual CPUs (depending on the performance requirement)</li> <li>Memory-2 to 4 GB (depending on the performance requirement)</li> <li>Network interfaces-1 management and up to 9 test ports</li> <li>Port Speeds-100M, 1G, 2.5G, 5G, 10G, 25G, 40G, 100G</li> </ul>	
Packaging	Software is available in Ova, qcow2, vhd, img, rpm and deb formats	
Hypervisors and Host OS	<ul> <li>VMWare ESXi 4.0, 4.1, 5.1, 5.5, 6.0, 6.5, 6.7</li> <li>QEMU/KVM on Fedora 20, CentOS 6.5, Ubuntu 14.04, Ubuntu 16.04</li> <li>Oracle VM</li> <li>Hyper-V</li> </ul>	
Public Cloud	<ul> <li>OpenStack,</li> <li>Amazon Web Services</li> <li>Google Cloud Platform</li> <li>Microsoft Azure</li> </ul>	
Container Platform	LSX, Docker	
Supported Network Adapters and Drivers	<ul> <li>Intel I350 Gigabit Network Card</li> <li>Intel X520-DA2, X550T 10-Gigabit SFP+ Network Card</li> <li>Intel Ethernet Controller XXV710 25G</li> <li>Intel Ethernet Controller XL710 40Gb QSPF+</li> <li>Mellanox MT27520 Family [ConnectX-3 Pro] 40Gb QSFP+</li> <li>Mellanox ConnectX-5 Family of smart NICs QSFP+</li> <li>Drivers: igb, ixgbe, i40e, mlx4_en</li> </ul>	
Automation	TCL, Python, Perl, Java, C, C#, Ruby, REST	

Spirent TestCenter Virtual



#### **Network Protocols**

STC virtual can emulate a wide variety of protocols. Each virtual port is capable of emulating thousands of routers or switches with millions of networks and hosts. Users can easily scale their topologies by additional virtual test ports.

Technology	Spirent
Automation	TCL, Python, Perl, Java, C, C#, Ruby, REST
IP Version Supported	IPv4, IPv6
Routing & MPLS Protocols	All major IPv4 and IPv6 unicast and multicast routing protocols:
	• IGMPv1v2v3
	ISISv4/v6     BGP
	OSPEv4/v6
	• RIP/RIPng
	• EIGRP/EIGRPv6
	<ul> <li>Carrier Ethernet and Briding - LACP, STP, RSTP, MSTP, 802.1ag, CFM, Y.1731, PBB, PBB-TE, Link OAM</li> <li>Mobile Backhaul - MPLS-TP, 1588v2, SyncE</li> </ul>
MPLS	• MPLS-TP
	• RSVP-TE, LDP, VPLS-LDP, VPLS-BGP, BGP/MPLS-VPN, Fast Re-route, mVPN, P2MP-TE, BFD, PWe3 (RFC4447)
SDN Protocols	PCEP, Segment Routing, OSPF, ISIS, BGP, BGP LS, BGP Flow Spec, OpenFlow switch emulation, OpenFlow controller emulation
Enterprise and DataCenter	• All major IPv4 and IPv6 unicast and multicast routing protocols: IGMPv1/v2/ v3, MLDv1/ v2, LACP, STP,
Protocol Support	RSTP and MSTP
	<ul> <li>Data Center - DCBX, FCoE, FIP, 802.1Qbb, VXLAN-EVPN, EVPN-MPLS, EVPN-PBB, EVPN-IRB, EVPN-VPWS, OTV, TRILL, LISP, SPB, LISP, VEPA</li> </ul>
	Stateful L4-7: HTTP, SIP, FTP
Access Protocols	802.1, ANCP, DHCPv4v6, L2TP, IGMPv1/v2/v3, MLDv1/v2, PPPoEv4 and PPPoEv6, 6RD, Dual-Stack Lite
Carrier Ethernet & Bridging	LACP, STP, RSTP and MSTP, 802.1ag CFM, Y.1731, PBB, PBB-TE, Link OAM
Enhanced L4-L7 Protocols	FTP, HTTP 1.0/1.1, HTTPS 1.0/1.1, HTTP Live Stream (Video), CIFS-SMB, IMAP4, POP3, TCP, SMTP, Telnet
Supported L4-L7 Applications	Amazon, Facebook, Instagram, Netflix, YouTube, Application PCAP import and playback
RFC	2544, 2889, 3918
	• 802.1x
Authentication Protocols	Network Access Control (NAC)     Radius

Ordering Information			
Description	P/N		
AION Virtual Bandwidth Low	AON-SWO-V-BANDWIDTH-L		
AION Virtual Bandwidth Medium	AON-SWO-V-BANDWIDTH-M		
AION Virtual Bandwidth High	AON-SWO-V-BANDWIDTH-H		
Spirent TestCenter Virtual port — speeds of 100M, 1G, 2.5G, 5G, 10G, 25G, 40G, 100G	P/N varies based on speed		
Virtual Routing bundle	V-SPK-9001/2		
Virtual Switching bundle	V-SPK-9003		
Virtual MBH bundle	V-SPK-9005		
Virtual Access bundle	V-SPK-9006/7		
Virtual Multiplay bundle	V-SPK-9008		
Virtual RFC-2544 with VLAN network device benchmark test package	V-TPK-1000		
Virtual RFC-2889 with VLAN switching benchmark test package	V-TPK-1001		
Virtual RFC-3918 Multicast benchmark test package	V-TPK-1042		
Virtual Unicast Routing Convergence test package	V-TPK-1050		
Virtual Enhanced L4-7, 1 Port	V-BPK-2001-001		

