

Quick Card

FiberChek™ Probe Microscope

Updating Firmware with FiberChekPRO™

This quick card describes how to update FiberChek Probe Microscope firmware with VIAVI FiberChek PRO software.

Equipment Requirements:

- FiberChek Probe Fiber Inspection Microscope
- Personal Computer (PC) or Laptop
- FiberChekPRO software version 2.1 or greater (download at http://fcpro.updatemyunit.net/)



Figure 1: Equipment Requirements

Firmware Update Instructions:

- 1. Press the **Power Button** to turn on the FiberChek Probe Microscope.
- 2. Enable a Wi-Fi connection as follows:
 - Tap the FiberChek Probe **Touchscreen Display** to enter the **Settings** menu.
 - Use the Navigation control or touch the arrows on the screen to highlight Radio Settings and press the Action Button.
 - Use the Navigation control button or touch the arrows to highlight Wi-Fi Enable and press the Action button.
 - Press the Return button or press the Trigger to return to the Live Inspection screen. A Wi-Fi icon will appear at the top of the screen.
- Connect the FiberChek Probe microscope to the PC or Laptop via Wi-Fi as follows:
 - Enable Wi-Fi on the Laptop or PC.
 - Look for the FiberChek SSID and select Connect.
- 4. Click the **FiberChekPRO** icon FiberChekPRO in the Windows® Start menu on your PC or laptop to launch FiberChekPRO.



Figure 2: FiberChek Probe





5. The **FiberChekPRO** software will identify the connected FiberChek Probe device. If new firmware is available, a screen will be displayed with instructions to perform the update. Press the **OK** button.



Figure 4: New firmware for FiberChek Probe is available

6. Click the "Setup" option in the top right corner of the screen and select the 2nd option: FiberChek...



Figure 5: FiberChek PRO Setup menu

7. The **FiberChek Setup screen** will be displayed. Select the **Firmware** option and click on the "**Update Firmware...**" button.




Figure 6: FiberChek Setup

8. A window will be displayed indicating that the firmware update process was started.



Figure 7: Update process started

9. After a few seconds, a window will be displayed with instructions to complete the update.



Figure 8: Firmware update successful.

- 10. Click **OK** to complete the update and reboot the FiberChek Probe Microscope.
- 11. The FiberChek Probe Microscope is ready to be used with the latest firmware revision.