

TIAT

¢°

3 41

Brochure

VIAVI CX100 ComXpert

Communications Service Monitor

The CX100 ComXpert is an easy to use, complete communications test solution ideal for testing handheld and vehiclemounted radios. The CX100 offers industry-leading specifications and performance in a MIL-PRF-28800F Class 2 portable package.

At a Glance

Dimensions	12 in x 9.5 in x 4.3 in		
	30.5 cm x 24.1 cm x 10.9 cm		
Display Size	5 inches (12.7 cm), diagonal		
Weight	11 lbs (5 kg)		
Battery	Internal, 3+ Hours Operation		
Rugged	30 G Shock		
Test Range	-120 dBm to 0 dBm		
Frequency Range	1 MHz to 6 GHz		



CX100 Top Input/Output Connectors

Standard Features

The below list of features come standard on every CX100.

- 6 GHz Frequency Range
- Spectrum Analyzer
- VNC
- One-port Vector Network Analyzer
- Mobile Tech App (Requires Wireless Personal Area Network (WPAN/BT) Connectivity Option)

Optional Features

The below features are options available on the CX100.

- WiFi Connectivity
- Wireless Personal Area Network (WPAN/BT) Connectivity

A Complete Test Suite


The CX100 is designed with advanced frequency, power, and modulation analysis instruments for analog systems.

Simple User Interface

A menu-driven user interface allows you to instantly switch between test setups. This user interface allows you to navigate between a hierarchy of different menus.

🟫 RF Test						
Duplex Test	Tx Test	Rx Test				
Test Setup Summary						
RF Generator	RF Generator					
Modulation G	Modulation Generator 1					
Modulation G	Modulation Generator 2					
External Mod	External Modulation					
RF Receiver	RF Receiver					
AF Function	AF Function Generator 🛛 🗸 🗸					
Meters	Meters					
RF Analyzer	RF Analyzer 🗸					
AF Analyzer	AF Analyzer					

🟫 RF Test						
Duplex Test	Tx Test	Rx Test				
Test Setup Su	Test Setup Summary					
RF Generator	RF Generator					
Port TR						
Frequency 1,000.000000 M	IHz					
Freq Offset 0.000000 MHz						
Output Level -80.0 dBm						
Modulation G	Senerator 1					
Modulation G	Senerator 2					
External Modulation						
RF Receiver						
AF Function Generator						
Meters	Service and the service se					



Simple, menu-driven user interface

Auto-Test Environment and Scripting

Python-based Auto-Test framework to allow customers to write their own scripts and upload their own scripts directly to the box.

This framework offers such benefits as automating checklists and measurements, controlling the device under test, storing test results, and repeatable processes and procedures.

A developer's Getting Started Guide is available upon request. Additional training for customers who want to write their own scripts is available for purchase.

Mobile Tech App

The Mobile Tech App enables remote operation via the smart device, which allows you to operate the unit from a remote location. It also provides convenient access to a directory of on-line information such as documentation and training videos.

Ordering Information

Versions and Options

Order Number	Description				
	CX100 ComXpert Communications Service Monitor				
	Standard Accessories				
	AC / DC Power Adapter				
	AC Power Cord – US				
	AC Power Cord – China				
	AC Power Cord – Europe				
CX100	AC Power Cord – UK				
	Side Strap (Qty 1)				
	Carrying Case, Soft				
	Adapter, N(m) to BNC(f)				
	Adapter, TNC(m) to BNC(f)				
	Calibrator Kit; Short Open Load; Cable				
	Mobile Tech App				
Options					
CX100-SBT	Wireless Personal Area Network (WPAN/BT) Connectivity				
CX100-SWIFI	WiFi Connectivity				
Accessories					
CX100-ACBL	RF Cable				
CX100-ACH	Carrying Case, Hard Transit				
CX100-ACS	Carrying Case, Soft				
CX100-ASOL	Calibrator Kit; Short Open Load; Cable				
Calibration Certificat	tes				
CX100-C9001	Calibration Certificate with Test Data (ISO 9001)				
Care Support Plans					
BronzeCare (Include:	s Extended Warranty)				
CX100-BRONZE-2	BronzeCare – First 2 Years				
SilverCare (Includes	Extended Warranty and Calibration Plan)				
CX100-SILVER-3	SilverCare – First 3 Years				
CX100-SILVER-5	SilverCare – First 5 Years				
Certified Calibration	Care Plan Add-ons (Requires corresponding SilverCare)				
CERT-CAL-DATA-3	Certified Calibration Data – Pre and Post Cal Data Report for Care Plans – First 3 Years				
CERT-CAL-DATA-5	Certified Calibration Data – Pre and Post Cal Data Report for Care Plans – First 5 Years				
Training					
CX100-TS	Training, Auto-Test Environment Python Scripting				

VIAVI Care Support Plans

Increase your productivity for up to 5 years with optional VIAVI Care Support Plans:

- Maximize your time with on-demand training, priority technical application support and rapid service.
- Maintain your equipment for peak performance at a low, predictable cost.

Plan availability depends on product and region. Not all plans are available for each product or in every region. To find out which VIAVI Care Support Plan options are available for this product in your region, contact your local representative or visit: <u>viavisolutions.com/viavicareplan</u>

Features

									*5-year plans only
Plan	Objective	Technical Assistance	Factory Repair	Priority Service	Self-paced Training	5 Year Battery and Bag Coverage	Factory Calibration	Accessory Coverage	Express Loaner
BronzeCare	Technician Efficiency	Premium	\checkmark	\checkmark	\checkmark				
SilverCare	Maintenance & Measurement Accuracy	Premium	\checkmark	\checkmark	\checkmark	\checkmark^*	\checkmark		
MaxCare	High Availability	Premium	\checkmark	\checkmark	\checkmark	\checkmark^{\star}	\checkmark	\checkmark	\checkmark



Contact Us +1800 835 2352 AvComm.Sales@viavisolutions.com

To reach the VIAVI office nearest you, visit viavisolutions.com/contact

© 2023 VIAVI Solutions Inc. Product specifications and descriptions in this document are subject to change without notice. Patented as described at viavisolutions.com/patents CX100-br-rts-nse-ae 30193672 902 1223

viavisolutions.com