

Brochure

VIAVI

Home Leakage Test Kit Eliminate Home Ingress Quickly and Easily

Turn ingress points into leakage points, and find the root cause of plant ingress in half the time.

This simple, cost-effective solution helps techs tighten up the home coaxial network to help eliminate intermittent issues related to leakage and ingress.

The Home Leakage Test Kit includes a hand-held Seeker HL Transmitter that generates high amplitude test signals. The receiver is the technician's option-equipped DSP or ONX meter with an antenna on the input. This means no additional high sensitivity meter is required to do the home pressurization test.

Ingress has long been a performance impediment for HFC high speed data services, and cable companies have intensified their efforts to combat this problem. Most of this ingress begins in the home, making detection while the tech is present for installation or service call critical. VIAVI is offering a simple solution that saves techs time and enables them to tighten the home coaxial network to avoid repeat service calls.

The Challenge

Historically, signal leakage detectors have required high levels of sensitivity to measure signal leakage radiating from the CATV system. In the home coaxial network signal levels are lower than outside plant levels, and the migration to all digital services means even greater sensitivity is needed in a leak detector. When this is combined with a new requirement to simultaneously monitor for signal leakage in both the aeronautical and LTE bands detection becomes especially challenging.

Benefits

- Dual-band leakage receiver for both aeronautical and LTE frequencies; Testing at two frequencies maximizes potential to detect leak/ingress location
- Audible tone increases proportionally in pitch as technician moves closer to leak source, simplifying the process of locating the exact source of leakage/ingress in the home network
- Works with option equipped installation and service meter (DSP or ONX) – an affordable and effective solution
- Finds points of potential ingress, even when ambient ingress source is currently not present




In laboratory experiments, leaks as low as 0.1 $\mu\text{V}/\text{m}$ have proven sufficient to allow LTE signals to enter the subscriber network and disrupt cable services. A 0.1 $\mu\text{V}/\text{m}$ measurement sensitivity is beyond the measurement range of conventional signal leakage detectors and requires a new approach to leakage detection within the subscriber premises.

The Solution

Techs can nip this problem in the bud using the hand-held, battery-operated Seeker HL signal transmitter and their Trilithic DSP or VIAVI ONX meter. The transmitter is connected at the ground block or the tap and injects two 60 or 40 dBmV signals (aeronautical and LTE bands) which can be detected with a leakage option equipped Trilithic DSP or VIAVI OneExpert CATV meter. The Seeker HL In-Home Signal Source injects two high output test carriers at the tap or ground block in the place of cable signals, and “pressurizes” the home network, revealing any damage or craftsmanship issues that may lead to service interruption from LTE carrier or other ambient RF signal ingress. The signal source has two output levels. +60 dBmV for home certification, or +40 dBmV for use when the subscriber network is too porous to pinpoint the leak location at the higher transmit level. A leaking signal can be detected with a properly optioned DSP or ONX field analyzer, or a Seeker HL leakage meter.

To simplify troubleshooting, the meter emits a tone that varies in pitch with the received field strength. The stronger the signal, the higher the tone pitch. At the same time, a bar graph on the meter shows the signal increasing or decreasing with received field strength. The tech can then fix a loose connection, bad connector or component, or replace a cable, instead of rewiring the entire home.

VIAVI and Trilithic – better together! Be sure to contact your local VIAVI Solutions representative for a demonstration of the Home Leakage Test Kit, and visit our website for more information the powerful Trilithic and VIAVI installation and service meters.




VIAVI Care Support Plans

Increase your productivity for up to 5 years with optional VIAVI Care Support Plans:

- Maximize your time with on-demand training, priority technical application support and rapid service.
- Maintain your equipment for peak performance at a low, predictable cost.

For more Information: go to viavisolutions.com/viavicareplan

Features

Plan	Objective	Technical Assistance	Factory Repair	Priority Service	Self-paced Training
 BronzeCare	Technician Efficiency	Premium	✓	✓	✓